TANSLEY elite



6' x 3' MARKET STALL ASSEMBLY GUIDE

PARTS

When first unpacking your Tansley Elite Market Stall please take the time to ensure that all parts are present using the check list below.

If you believe a part is missing then you should contact Gavin Kenning Engineering Limited at your earliest convenience.


Α	Roof End Sections	Length: 6ft (1.83m)
		2 pieces
В	Roof Risers	Length: 1ft (0.3m)
		2 pieces
С	Roof Bars	Length: 5ft 10in (1.78m)
		3 pieces
D	Legs	Length: 6ft 6in (1.98m)
		4 pieces
Е	Front & Rear Counter Bars	Length: 5ft 10in (1.78m)
		2 pieces
F	Side Counter Bars	Length: 2ft 10in (0.86m)
		2 pieces
G	Counter Support Bar	Length: 6ft (1.83m)
		1 piece
Н	Counter Boards	
		3 pieces
	Roof Tarpaulin, Counter Skirt & Bungee Cords	
		2 pieces
J	Wheeled Carry Bag (Optional Extra)	
		1 piece

ASSEMBLY


Your market stall frame is designed to slot together by hand as shown in the images below. You do not require any specialist tools for assembly. Use the below diagram in conjunction with the parts list shown on the opposite page to identify and place the parts within the frame assembly.

 $\hat{\mathbf{A}}$

Please read the enclosed safety guidelines and care instructions before attempting to assemble this product



COUNTER, ROOF & SKIRT



Tarpaulins

All tarpaulins are equipped with eylets and permanently attached ball loop bungees with hooks that are designed to wrap around the market stall frame and hook back over the plastic ball of the bungee in order to keep the tarpaulin taught.

Counter Boards

Counter boards lie over the counter bars of the Market Stall. Counter boards H1 and H3 have cutouts in the corners which allow the boards to lock into place inbetween the legs at each end of the Market Stall frame.

INFORMATION

This product is manufactured by Gavin Kenning Engineering Limited in Derbyshire, England. For product support call 01773 607505 or email sales@tradersupplies.co.uk

Spare parts and accessories can be purchased online at www.tradersupplies.co.uk

All material copyright $\@$ Gavin Kenning Engineering Limited 2013. No unauthorised reproduction.







- **Do not** climb on framework or counter top (where present).
- Do not use a steel hammer to assemble framework, doing so may cause damage to surface finishes or bodily injury.
 Note: no specialist tools are required to assemble this product but if so required, use a rubber or wooden mallet only.
- **X** Do not assemble framework on a steep incline.
- **Do not** let rain or snow accumulate on the roof canopy.
- When new, the framework assembly may be stiff. This stiffness will ease with regular use.
- When new, the framework of this product may contain loose metal filings. Be careful when first assembling.
- When new, oil residue may be present around connection points. Be careful when first assembling.
- This product is designed to withstand inclement weather conditions but it is always recommended that additional ballast or grounding anchors be used wherever possible. Anchoring is your responsibility. Damages caused by poor weather conditions are not warranted.
- In extreme gusty conditions it is advised that framework is disassembled entirely.
- This framework is designed for temporary use only and is not a permanent structure.



Read this before setting up or using your Gavin Kenning Engineering Limited product.

Improper use of this product and/or its components can cause damage to equipment or property, serious personal injury or death.

Gavin Kenning Engineering Limited shall not be liable for any damages arising out of the use of this product, including, but not limited to, damages for economic loss of profits or savings, lost wages; damages to or loss of use of property; bodily injury; medical payments; pain and suffering; and loss of consortium.

CARE INSTRUCTIONS

- Always ensure that this product and its components, including the framework, tarpaulin and counter boards (where present) are completely dry before placing in storage. Failure to do so may result in mildew and/or rust or other damage to surfaces and finishes.
- Dirt should be removed from tarpaulins and framework using a cloth, soap and warm water. Do not machine wash.
- Dirt can be removed from plywood counter boards using a stiff brush and a small amount of water.
- Do not use caustic products such as bleach to clean any part of this product. Doing so may cause damage to surface finishes.

LIMITED WARRANTY FOR NEW GAVIN KENNING ENGINEERING LTD MARKET STALLS

WHAT IS WARRANTED

All components of this Market Stall are covered by a limited 60-month warranty and are warranted free from defects in material and workmanship for a period of 60 months from the date of purchase. The warranty is valid as of the day of purchase and a dated proof of purchase should be presented upon request.

WHAT IS NOT WARRANTED – GAVIN KENNING ENGINEERING LTD IS NOT RESPONSIBLE FOR THE FOLLOWING:

Normal wear and tear and/or damage caused by use of force, incorrect handling, inappropriate use, neglect, alteration, assembly not in accordance with the manual or improper anchoring. Gavin Kenning Engineering Ltd have no obligation whatsoever to repair, replace, adjust or otherwise compensate the purchaser if this market stall sustains damage and malfunctions as a result of misuse, abuse, negligence, accident, a lack of proper maintenance, impact by foreign objects, storms, floods, pollutants, chemicals, acts of God or any other cause outside the control of Gavin Kenning Engineering Ltd.

WARRANTY SERVICE

For customer assistance with warranty claims please contact Gavin Kenning Engineering Ltd by phone: 01773 607505, by email: sales@tradersupplies.co.uk or by post: Gavin Kenning Engineering Ltd, Units 1-4 Keys Road, Nix's Hill Industrial Estate, Somercotes, Derbyshire, DE55 7FQ.

In all communications proof or purchase will be required along with a description and photograph of the claimed defect.

LIMITATION OF IMPLIED WARRANTIES

Gavin Kenning Engineering Ltd will not have other or greater liability for defects in the product, nor will Gavin Kenning Engineering Ltd have any liability for incidental, special or consequential damages of any kind whether for breach of any express written or oral or implied warranty on products, breach of contract, negligence, misrepresentation, or otherwise, and whether resulting in lost profits, loss of investment or interest on investment, work stoppage or otherwise. Your exclusive remedy shall be enforcement of this warranty upon the terms and conditions herein contained. No representative of Gavin Kenning Engineering Ltd or its distributors is authorised to make any change or modification to this warranty.